ELSEVIER

Brain Research 883 (2000) 266–267

BRAIN RESEARCH

www.elsevier.com/locate/bres

Author Index

Acuña-Goycolea, C., Fuentealba, P. and Torrealba, F.
Anatomical substrate for separate processing of ascending and descending visceral information in the nucleus of the solitary tract of the rat (883) 229
Aijón, J., see Velasco, A. (883) 98
Angelov, L., see Salhia, B. (883) 87

Barman, S.M., see Larsen, P.D. (883) 143
Bishop, C., see Coscina, D.V. (883) 243
Bonsall, R.W., see Murrough, J.W. (883) 125
Boss-Williams, K.A., see Murrough, J.W. (883) 125
Bowes, M., Tuszynski, M.H., Conner, J. and Zivin, J.A.
Continuous intrathecal fluid infusions elevate nerve growth factor levels and prevent functional deficits after spinal cord ischemia (883) 178
Bragado, M.J., see Velasco, A. (883) 98
Brusco, A., see Ramos, A.J. (883) 1

Caminos, E., see Velasco, A. (883) 98
Chavez, J.C., see Haxhiu, M.A. (883) 77
Choi, J.-S., Kim, J.-a., Kim, D.-H., Chun, M.-H., Gwag, B.J., Yoon, S.K. and Joo, C.-K.
Failure to activate NF-κB promotes apoptosis of retinal ganglion cells following optic nerve transection (883) 60
Chun, M.-H., see Choi, J.-S. (883) 60
Conner, J., see Bowes, M. (883) 178
Coscina, D.V., Currie, P.J., Bishop, C., Parker, G.C., Rollins, B.L. and King, B.M.
Posterodorsal amygdala lesions reduce feeding stimulated by 8-OH-DPAT (883) 243
Cuerda, M.A., see Villalobos, M.A. (883) 31
Culmsee, C., see Schaper, C. (883) 41
Currie, P.J., see Coscina, D.V. (883) 243

Davis, M.A., see Garry, M.G. (883) 265
De La Cruz, J.P., see Villalobos, M.A. (883) 31
Dietz, V., see Metz, G.A.S. (883) 165
Dreshaj, I.A., see Haxhiu, M.A. (883) 77

Emery, M.S., see Murrough, J.W. (883) 125
Erokwu, B., see Haxhiu, M.A. (883) 77
Ezure, K. and Tanaka, I.
Identification of deflation-sensitive inspiratory neurons in the dorsal respiratory group of the rat (883) 22

Ferger, B., Teismann, P. and Mierau, J.
The dopamine agonist pramipexole scavenges hydroxyl free radicals induced by striatal application of 6-hydroxydopamine in rats: an in vivo microdialysis study (883) 216
Foster, T.C., see Fugger, H.N. (883) 258
Fouad, K., see Metz, G.A.S. (883) 165
Fuentealba, P., see Acuña-Goycolea, C. (883) 229
Fugger, H.N., Foster, T.C., Gustafsson, J.-Å. and Rissman, E.F.
Novel effects of estradiol and estrogen receptor α and β on cognitive function (883) 258

Gage, F.H., see Shults, C.W. (883) 192
Garry, M.G., Walton, L.P. and Davis, M.A.
Corrigendum to: Capsaicin-evoked release of immunoreactive calcitonin gene-related peptide from the spinal cord is mediated by nitric oxide but not by cyclic GMP. [Brain Res. 861 (2000) 208–219] (883) 265
Gebber, G.L., see Larsen, P.D. (883) 143
Greenberg, H.E., see Sica, A.L. (883) 224
Guha, A., see Salhia, B. (883) 87
Gustafsson, J.-Å., see Fugger, H.N. (883) 258
Gwag, B.J., see Choi, J.-S. (883) 60

Hauptfleisch, S., see Lemmer, B. (883) 250
Haxhiu, M.A., Chavez, J.C., Pichiule, P., Erokwu, B. and Dreshaj, I.A.
The excitatory amino acid glutamate mediates reflexly increased tracheal blood flow and airway submucosal gland secretion (883) 77
Hiruma, H., Saito, A., Ichikawa, T., Kiriyama, Y., Hoka, S., Kusakabe, T., Kobayashi, H. and Kawakami, T.
Effects of substance P and calcitonin gene-related peptide on axonal transport in isolated and cultured adult mouse dorsal root ganglion neurons (883) 184
Hoka, S., see Hiruma, H. (883) 184

Ichikawa, T., see Hiruma, H. (883) 184
Isomura, Y. and Kato, N.
Possible regulatory role of dendritic spikes in induction of long-term potentiation at hippocampal Schaffer collateral-CA1 synapses (883) 119

Jimeno, D., see Velasco, A. (883) 98
Joo, C.-K., see Choi, J.-S. (883) 60

Kakiuchi, T., Nishiyama, S., Sato, K., Ohba, H., Nakanishi, S. and Tsukada, H.
Age-related reduction of [^{11}C]MDL100,907 binding to central 5-HT$_{2A}$ receptors. PET study in the conscious monkey brain (883) 135
Kato, N., see Isomura, Y. (883) 119
Kawakami, T., see Hiruma, H. (883) 184
Kim, D.-H., see Choi, J.-S. (883) 60
Kim, J.-a., see Choi, J.-S. (883) 60
King, B.M., see Coscina, D.V. (883) 243
Kiriyama, Y., see Hiruma, H. (883) 184
Kobayashi, H., see Hiruma, H. (883) 184
Kondo, M., Sumino, R. and Okado, H.
Expression of AMPA receptors in rat superior colliculus and effect of orbital enucleation (883) 238
Kouklei, M., see Schaper, C. (883) 41
Krieglstein, J., see Schaper, C. (883) 41
Kusakabe, T., see Hiruma, H. (883) 184

Lara, J.M., see Velasco, A. (883) 98
Larsen, P.D., Zhong, S., Lewis, C.D., Gebber, G.L. and Barman, S.M.
Coupling of arterial pulse and 10-Hz rhythm in sympathetic nerve discharge (883) 143
Lawrence, A.J., see McDougall, S.J. (883) 148
Lemmer, B., Hauptfleisch, S. and Witte, K.
Loss of 24 h rhythm and light-induced c-fos mRNA expression in the suprachiasmatic nucleus of the transgenic hypertensive TGR(mRen2)27 rat and effects on cardiovascular rhythms (883) 250
Lewis, C.D., see Larsen, P.D. (883) 143
Lillo, C., see Velasco, A. (883) 98
López, E.M., see Ramos, A.J. (883) 1

Mautes, A.E.M. and Noble, L.J.
Co-induction of HSP70 and heme oxygenase-1 in macrophages and glia after spinal cord contusion in the rat (883) 233

0006-8993/00/$ – see front matter © 2000 Elsevier Science B.V. All rights reserved.
PII: S0006-8993(00)03071-7

McDougall, S.J., Roulston, C.A., Widdop, R.E. and Lawrence, A.J.
Characterisation of vasopressin V_{1A}, angiotensin AT_1 and AT_2 receptor distribution and density in normotensive and hypertensive rat brain stem and kidney: effects of restraint stress (883) 148
Merkler, D., see Metz, G.A.S. (883) 165
Metz, G.A.S., Merkler, D., Dietz, V., Schwab, M.E. and Fouad, K.
Efficient testing of motor function in spinal cord injured rats (883) 165
Mierau, J., see Ferger, B. (883) 216
Misiaszek, J.E., see Pearson, K.G. (883) 131
Murrough, J.W., Boss-Williams, K.A., Emery, M.S., Bonsall, R.W. and Weiss, J.M.
Depletion of brain norepinephrine does not reduce spontaneous ambulatory activity of rats in the home cage (883) 125

Nadelhaft, I., see Vera, P.L. (883) 107
Nakanishi, S., see Kakiuchi, T. (883) 135
Nakayama, R., see Yano, T. (883) 69
Nishiyama, S., see Kakiuchi, T. (883) 135
Noble, L.J., see Mautes, A.E.M. (883) 233
Norrholm, S.D. and Ouimet, C.C.
Chronic fluoxetine administration to juvenile rats prevents age-associated dendritic spine proliferation in hippocampus (883) 205

Ohba, H., see Kakiuchi, T. (883) 135
Okado, H., see Kondo, M. (883) 238
Ortiz, P., see Villalobos, M.A. (883) 31
Ouimet, C.C., see Norrholm, S.D. (883) 205
Owyang, C., see Takahashi, T. (883) 15

Park, L. and Thornhill, J.
Hypoxic modulation of striatal lesions induced by administration of endothelin-1 (883) 51
Parker, G.C., see Coscina, D.V. (883) 243
Pearson, K.G. and Misiaszek, J.E.
Use-dependent gain change in the reflex contribution to extensor activity in walking cats (883) 131
Pecci Saavedra, J., see Ramos, A.J. (883) 1
Pichiule, P., see Haxhiu, M.A. (883) 77

Qoubaitary, A., see Takahashi, T. (883) 15

Ramič, Z., see Trajkovič, V. (883) 157
Ramos, A.J., Tagliaferro, P., López, E.M., Pecci Saavedra, J. and Brusco, A.
Neuroglial interactions in a model of *para*-chlorophenylalanine-induced serotonin depletion (883) 1
Ray, J., see Shults, C.W. (883) 192
Rissman, E.F., see Fugger, H.N. (883) 258
Rollins, B.L., see Coscina, D.V. (883) 243
Roncari, L., see Salhia, B. (883) 87
Roulston, C.A., see McDougall, S.J. (883) 148
Ruggiero, D.A., see Sica, A.L. (883) 224

Saito, A., see Hiruma, H. (883) 184
Salhia, B., Angelov, L., Roncari, L., Wu, X., Shannon, P. and Guha, A.
Expression of vascular endothelial growth factor by reactive astrocytes and associated neoangiogenesis (883) 87
Samardžič, T., see Trajkovič, V. (883) 157
Sánchez de la Cuesta, F., see Villalobos, M.A. (883) 31
Sato, K., see Kakiuchi, T. (883) 135
Schaper, C., Zhu, Y., Kouklei, M., Culmsee, C. and Krieglstein, J.
Stimulation of 5-HT_{1A} receptors reduces apoptosis after transient forebrain ischemia in the rat (883) 41
Scharf, S.M., see Sica, A.L. (883) 224
Schwab, M.E., see Metz, G.A.S. (883) 165
Shannon, P., see Salhia, B. (883) 87
Shults, C.W., Ray, J., Tsuboi, K. and Gage, F.H.
Fibroblast growth factor-2-producing fibroblasts protect the nigrostriatal dopaminergic system from 6-hydroxydopamine (883) 192
Sica, A.L., Greenberg, H.E., Scharf, S.M. and Ruggiero, D.A.
Chronic-intermittent hypoxia induces immediate early gene expression in the midline thalamus and epithalamus (883) 224
Smith-Agreda, J.M., see Villalobos, M.A. (883) 31
Stojkovič, M.M., see Trajkovič, V. (883) 157
Stošič-Grujičič, S., see Trajkovič, V. (883) 157
Sumino, R., see Kondo, M. (883) 238

Tagliaferro, P., see Ramos, A.J. (883) 1
Takahashi, T., Qoubaitary, A., Owyang, C. and Wiley, J.W.
Decreased expression of nitric oxide synthase in the colonic myenteric plexus of aged rats (883) 15
Tanaka, I., see Ezure, K. (883) 22
Teismann, P., see Ferger, B. (883) 216
Thornhill, J., see Park, L. (883) 51
Torrealba, F., see Acuña-Goycolea, C. (883) 229
Trajkovič, V., Samardžič, T., Stošič-Grujičič, S., Ramič, Z. and Stojkovič, M.M.
Muramyl dipeptide potentiates cytokine-induced activation of inducible nitric oxide synthase in rat astrocytes (883) 157
Tsuboi, K., see Shults, C.W. (883) 192
Tsukada, H., see Kakiuchi, T. (883) 135
Tuszynski, M.H., see Bowes, M. (883) 178

Ushijima, K., see Yano, T. (883) 69

Velasco, A., Bragado, M.J., Jimeno, D., Caminos, E., Lillo, C., Aijón, J. and Lara, J.M.
Growing and regenerating axons in the visual system of teleosts are recognized with the antibody RT97 (883) 98
Vera, P.L. and Nadelhaft, I.
Anatomical evidence for two spinal 'afferent–interneuron–efferent' reflex pathways involved in micturition in the rat: a 'pelvic nerve' reflex pathway and a 'sacrolumbar intersegmental' reflex pathway (883) 107
Villalobos, M.A., De La Cruz, J.P., Cuerda, M.A., Ortiz, P., Smith-Agreda, J.M. and Sánchez de la Cuesta, F.
Effect of *S*-adenosyl-L-methionine on rat brain oxidative stress damage in a combined model of permanent focal ischemia and global ischemia-reperfusion (883) 31

Walton, L.P., see Garry, M.G. (883) 265
Weiss, J.M., see Murrough, J.W. (883) 125
Widdop, R.E., see McDougall, S.J. (883) 148
Wiley, J.W., see Takahashi, T. (883) 15
Witte, K., see Lemmer, B. (883) 250
Wu, X., see Salhia, B. (883) 87

Yano, T., Nakayama, R. and Ushijima, K.
Intracerebroventricular propofol is neuroprotective against transient global ischemia in rats: extracellular glutamate level is not a major determinant (883) 69
Yoon, S.K., see Choi, J.-S. (883) 60

Zhong, S., see Larsen, P.D. (883) 143
Zhu, Y., see Schaper, C. (883) 41
Zivin, J.A., see Bowes, M. (883) 178